

Embedded Pc 2024A MM10-H6100 P/N: PCE67

Constantly evolving, our Embedded and Fanless Computers exploit advanced technologies and make themselves suitable and reliable in the most varied applications for industrial automation. We offer Embedded solutions for any type of need and we are able to develop Custom projects based on specific needs of our customer. With Fanless solutions, the total absence of fans ensures correct and long-lasting operation over time even in particularly critical and dusty environments. Many of our Industrial PCs also provide the possibility of using wall, VESA or DIN rail mounting and with low voltage power supply, the ideal solution for installation inside electrical panels.



Front View



The I/O connectors are an example and depend on the Main Board installed.

Rear View



I/O Main Board

SPECIFICATIONS

- Standard Color Black RAL9005
- Industrial Power Supply 300W
- Main Board MM10-H6100
- Chip Set Intel H610
- Cpu Intel Core i3/i5/i7 12°/13° Generation

SYSTEM MEMORY

- Support 2 x U-DIMM DDR5
- Up to 64GB Max

STORAGE

- 3 x SATA3 6Gb/s
- 1 x M.2 2242/2260/2280/22110 (SATA interface)
- 1 x Hard Disk 3.5 Drive Bay
- 2 x Hard Disk 2.5 Drive Bay

LAN

- 1 x Intel I219-LM PHY Gigabit LAN (iAMT 12.0)
- 1 x Realtek RTL8153 PCI-E Gigabit LAN

EXTERNAL I/O

- 2 x USB 3.2 Gen 2 (10 Gb/s)
- 4 x USB 2.0
- 1 x Serial Port (COM1 RS232/422/485)
- 5 x Serial Port RS232 (Optional)
- 1 x PCI-E x16 Slot
- 2 x PCI-E x4 Slot
- Video Output DP and 2 x HDMI
- Audio IN e OUT

GENERAL INFORMATIONS

- Power Supply 100-240VAC
- Support Remote Switch and Power LED
- Power Consumption 150W (Max)
- CE Certification
- Net Weight 7,6Kg

OPTIONAL EOS/OS INSTALLATION

- Windows 10/11 Professional
- Windows 10 IoT Enterprise

**ENVIRONMENT**

- Storage Temperature (-20 to 70°C)
- Operating Temperature (0°C to 50°C)
- Relative Humidity (20% to 80% @ 40°C Non Condensing)


**Packing List**

- 1 x Embedded Pc 2024A MM10-H6100 P/N: PCE67
- Wall Mount kit (Vertical and Horizontal Fixing)
- Shuko Power Cord


**Optional Accessories**

- Boot Recovery Disk USB P/N: RBK01

**Dimensions**



- Support vertical and horizontal installation, suitable for different installation room requirements



- Equipped with 2x 90x90mm chassis fan and filter net, excellent heat dissipation

**HAXTeel**  
IT & INDUSTRIAL AUTOMATION

HAXTEEL SRL  
Via Fenil Novo, 2 37036 San Martino B.A. VERONA ITALY  
Phone +39 45 8781597 Email: [info@haxteel.it](mailto:info@haxteel.it) Web Site: [www.haxteel.eu](http://www.haxteel.eu)

*All specifications and photos are subject to change without notice. HAXTEEL SRL All rights reserved*



- Reserve remote switch and power LED connection for easy wiring on site



- Reserve room for 8 x COM, expansional COMs do not occupy PCI/PCIe slot